

COUNTY OF SAN DIEGO

COMPLIANCE INSPECTION REPORT Small and Large Quantity Generators of Hazardous Waste Handlers of Hazardous Materials

PERMIT #	
DATE/	
PAGE OF	

BUSINESS ADDRESS:

VIOLATION REPORT: The items checked below refer to specific section numbers of Titles 19 & 22 of the California Code of R egulations (CCR), Chapters 6.5 & 6.95 of the Health and Safety Code, and/or

nust be	corre	ected	Code (SDCC). Small Quantity Hazardous Waste Generator=(SQG); Large Hazard. Submit documentation of return to compliance to your Specialist. Specialist can provide this form. Please call (619) 338-2222 or your	You may	use the C	Corrective Action Form (HM-926) to document your return to
HAZARDOUS MATERIALS REQUIREMENTS				HAZWASTE REQUIREMENTS FOR LQGs & SQGs		
Viol #	_ 、		VIOLATION DESCRIPTION	Viol #	\mathbf{v}	VIOLATION DESCRIPTION
		001	UPF permit not obtained for hazardous materials. 68.905			AGE AND HANDLING Failed to label hazardous materials within 10 days or less.
		002	HMBP not established/implemented. 25503.5(a)		1 0216	25124(b)(3)(A) & 66262.34(f)
		004	HMBP not submitted to HMD. 25505(a)		0217	Failed to repackage damaged/deteriorated hazardous material
		005 007	Emergency contact not provided or current. 25509(a)(7) Highly toxic gas (TLV<10 ppm) not disclosed.68.1113(b)		_	Egilad to lobel 8/or close drained Duced oil filters 8/or Duced field
)07)08	Annual carcinogen/reproductive toxin list not sent to HMD. 68.1113(c)		1 0218	filters. 25250.22 and 66266.130(c)(3)
		009	Site map is not sufficient or complete. 25509(a)(5) & 25505(a)(2)		1 0219	Failed to properly segregate used oil &/or fuel drained from filters 66266.130(c)(6) or 25250.22(b)(4)
		010	Did not report release or threatened release. 25507(a), CCR 2703		0220	00200.130(c)(0) 01 23230.22(b)(+)
	_	013	Copy of HMBP not onsite for inspector's review. 25505(e)		0220	
	_)14	HMBP is incomplete/inadequate/not amended to reflect changes.		0222	
			25504, 25505(a)(2) &/or 25509(a); 25505(b); 19 CCR 2729		0223	Failed to properly manage non-empty container or inner liner
		015	Did not have adequate employee training program 2732 &/or 25504 (c)		0223	removed from a container, 60201.7 (b), (d) &/or (1)
		016 017	Failure to have an adequate emergency response plan 25504 (b); 2731 Business Plan not certified annually. 25505(d) & (e)(2)		1 0224	Failed to mark date on empty container larger than 5 gallons and/or manage it within one year. 66261.7(e) & (f).
			Inventory not amended for 100% increase of hazardous material		_	
	1018 Inventory for affected for 100% increase of flazardous flazar					
HAZ	ZWA	ST	E REQUIREMENTS FOR <u>LQGs & SQGs</u>	STC	RAGE A	AND HANDLING-Pursuant to 66262.34(d)
			KEEPING		1 0225	Accumulated waste too long (>180 or 270 days). 66262.34(d), CFR 262.34(e) & (f), &/or 25201(a) [>90 days for an AHW waste]
	1 01	131	Unified Program Facility (UPF) permit not obtained. SDCC 68.905		□ 0226	***
	1 01	132	Failed to obtain & maintain a valid EPA ID Number. 66262.12(a)		0227	Failed to properly label/date hazardous waste container &/or tank.
	1 01	133	Failed to send manifest copy to DTSC. 66262.23(a)(4)		<u> </u>	00202.34(1)
	1 01	134	Failed to file Exception Report with DTSC. 66262.42	-	0228	•
	□ 01	135	Failed to keep waste manifests/receipts for 3 years available for	-	0229	• •
	_	136	inspection. 66262.40(a) & 25160.2(b)(3) Did not have records of battery disposal. 66266.81(a)(4)(B)		0230 0231	
		137	Failed to complete manifest properly. 66262.23(a)		0231	
		138	Failed to have TSDF copy of manifest onsite. 66262.40(a)		□ 0232 □ 0233	· ·
			Failed to have LDR documentation onsite. 66268.7(a)(8)		1	Did not maintain 8-/an anamata facility to may ant nalogge on fine
	01		Failed to obtain approval for TSDF. 25201(a)		0234	CFR 265.31
	01		Failed to notify CUPA for eligible onsite treatment. 25201(a)			
	□ 01	145	ERM reporting not submitted biennially &/or available. 25143.10			CONTINGENCY PLAN & ER PROCEDURES 66262.34(d)(2)
	□ 01	146	Failed to have adequate records demonstrating claim of exemption for	rurs	uant to 0	
	_ 0.	140	Excluded Recyclable Material (ERM). 25143.2(f) & 66261.2(g)		□ 0408	
	□ 01	147	Failed to keep universal waste record for 3 years for offsite shipment. SQH:66273.19(b)&(c)(2); LQH:66273.39(b)&(c)(2)		□ 0409	1 11
	□ 01	1/18	Failed to keep copies of analytical results, waste analysis records,		□ 0410	Esilada amin fasilita mida internal amananiantian analama CED
	— 01	140	or waste determination results. (3 years) 66262.40(c)		U 0410	265.32(a) & (b) Failed to carry out contingency plan during an emergency.
	□ 01	149	Failed to keep disposal receipts (3 years) for drained used oil filters and/or drained fuel filters. 25250.22 and 66266.130(c)(5)		0411	CFR 262.34(d)(5)(iv)
	DISI	POS	AL AND TRANSPORTATION		□ 0412	Failed to have an emergency coordinator on call or available during emergency. CFR 262.34(d)(5)(i)
		301	Unauthorized disposal of hazardous waste. 25189.5(a) or 25189(d)			
	3 03	302	Unlawful transportation of hazardous waste (HW). 25163(a)	HAZ	ZARDOU	JS WASTE TANK SYSTEMS Pursuant to 66262.34(d)(2) Hazardous waste improperly stored in a tank system that □leaks,
	1 03	303	Did not use HW manifest for disposal.66262.20(a), 25160.2(b)9		□ 1612	☐ is corroded, or ☐ failing. CFR 265.201(b)(2)
	1 03	304	Failed to make a proper waste determination. 66262.11 & 66260.200(c)			Failed to comply with tank standards which include: two feet of freeboard
	1 03	305	Disposed of used oil illegally. 25250.5(a) and 25189.5(a)		☐ 1613	(where applicable), shut off for waste feed line, & daily and weekly inspections. CFR 265.201(b) & (c)
	0 3	306	Disposed of latex paint illegally. 25217.1		□ 1614	Failed to properly complete &/or document closure for a hazardous
][□ ₀₃	307	Disposal of universal waste to an unauthorized point. 25189.5(a); SQH:66273.11(a); LQH 66273.31(a)	-	1014	waste tank. CFR 265.201(d) & 67383.3 Failed to safely accumulate ignitable or reactive waste in a tank.
	•	308	Impermissible dilution of hazardous waste. 66268.3(a)		□ 1615	CFR 265.201(e)
					□ 1616	Failed to safely manage incompatible waste in a tank. CFR 265.201(f)